TABLE . CORN HYBRID PERFORMANCE - DRY LAND TRIAL - PIEDMONT
CALHOUN FIELD LABORATORY, CLEMSON, SC
2026 DATA

COMPANY OR BRAND NAME	HYBRID	YIELD (BU/A)	HARVEST MOISTURE (PCT)	TEST WEIGHT (LB/BU)
Revere	1839 TC	**353.1**	17.8	55
Seedway	SW 1650TR	**329.6**	17.2	55
AgraTech	807TRE	327.8	17.9	55
Invictis	A1993T	325.6	17.8	55
Growmark	FS 6757T RIB	323.3	17.9	56
Invictis	A1414T	320.9	15.2	56
Growmark	FS 6947T RIB	318.7	18.5	55
Invictis	A1776VT2P	315.7	16.3	55
Revere	113-T73	313.7	16.4	56
Bayer	DK 70-45	312.0	19.3	57
AgraTech	707TRE	310.3	15.7	56
Pioneer	P15395PWE	306.7	14.9	55
Pioneer	P18216PWE	306.4	16.7	56
Dyna-Gro	D54TC77	302.2	15.6	57
Dyna-Gro	D58TC94	299.7	17.4	57
Growmark	FS 6157T RIB	297.8	16.0	55
Bayer	DK 68-35	297.2	20.0	57
Bayer	DK 117-78	296.0	17.3	56
Dyna-Gro	D55VC86	293.6	17.5	56
Invictis	A1254T	292.1	15.0	55
Growmark	FS 6627T RIB	290.7	15.3	56
Invictis	A1792T	289.4	18.4	57
Growmark	FS 6850R*	288.9	17.1	55
Seedway	SW 1880TR	288.0	19.6	55
Growmark	FS 6447T RIB	287.4	16.1	56
Bayer	DK 66-06	287.2	16.2	55
Growmark	FS 6545V RIB	285.7	18.2	56
Axis Seed	65W75 RIB	285.5	17.7	56
Seedway	SW 1676PE	278.7	17.3	56
Dyna-Gro	D52TC66	276.3	15.9	56
Axis Seed	64H70 RIB	276.1	17.4	56
Dyna-Gro	D60TC45	273.7	18.2	55
Seedway	SW 1600RR*	270.9	16.4	56
Pioneer	P18216R*	261.3	18.6	56
AgraTech	69RR*	258.9	17.0	56
Axis Seed	65W15*	254.5	16.8	56
Bayer	DK 111-35	233.8	16.8	56
AVERAGES		295.4	17.1	56
L.S.D. (.10)		24.4		
C.V. (%)		7.0		
STD. ERR. OF ENTRY MEAN		10.4	DF=108	

Bold numbers are not statistically different at the 0.10 level of probability

* indicates non-Bt hybrids that can be planted for refuge.

Location: Piedmont Research and Education Center, Clemson, SC
Soil Type: Toccoa Soils
GPS Coordinates: 34° 40' 16.76" N 82° 50' 49.00" W
Planted: April 10, 2026
Harvested: September 8, 2026

TABLE . CORN HYBRID PERFORMANCE - DRY LAND TRIAL - COASTAL PLAIN
EDISTO RESEARCH AND EDUCATION CENTER, BLACKVILLE, SC
2026 DATA

COMPANY OR BRAND NAME	HYBRID	YIELD (BU/A)	HARVEST MOISTURE (PCT)	TEST WEIGHT (LB/BU)
Pioneer	P18216R*	**123.3**	15.0	56
Growmark	FS 6850R*	**116.8**	13.9	54
Growmark	FS 6757T RIB	109.4	14.7	55
Bayer	DK 117-78	107.5	14.1	55
Axis Seed	65W15*	107.4	14.6	55
Invictis	A1993T	105.9	14.6	56
Seedway	SW 1650TR	105.3	16.0	56
AgraTech	807TRE	103.3	14.6	55
Seedway	SW 1880TR	101.5	15.5	55
Dyna-Gro	D60TC45	101.2	13.6	54
Growmark	FS 6947T RIB	100.3	14.7	55
Bayer	DK 111-35	100.0	14.5	54
Seedway	SW 1676PE	99.5	15.0	56
AgraTech	707TRE	99.1	14.2	55
Invictis	A1254T	99.1	15.1	55
Dyna-Gro	D54TC77	98.7	14.5	55
Invictis	A1792T	97.8	13.6	53
Seedway	SW 1600RR*	96.3	15.0	56
AgraTech	69RR*	96.2	14.7	56
Bayer	DK 70-45	94.6	14.7	56
Growmark	FS 6157T RIB	94.0	14.3	54
Axis Seed	65W75 RIB	93.6	13.5	53
Bayer	DK 68-35	92.1	14.3	55
Dyna-Gro	D58TC94	91.5	14.4	55
Revere	1839 TC	91.3	14.4	54
Revere	113-T73	91.0	14.4	54
Pioneer	P15395PWE	90.8	14.3	55
Dyna-Gro	D52TC66	90.0	13.6	53
Growmark	FS 6447T RIB	89.1	14.1	54
Axis Seed	64H70 RIB	88.9	14.1	55
Growmark	FS 6545V RIB	88.6	13.9	54
Growmark	FS 6627T RIB	87.0	14.1	54
Bayer	DK 66-06	84.6	14.4	55
Pioneer	P18216PWE	84.3	13.7	53
Invictis	A1776VT2P	82.0	13.0	53
Dyna-Gro	D55VC86	77.6	15.0	55
Invictis	A1414T	55.8	13.4	53
AVERAGES		95.5	14.3	55
L.S.D. (.10)		13.8		
C.V. (%)		12.3		
STD. ERR. OF ENTRY MEAN		5.9	DF=108	

Bold numbers are not statistically different at the 0.10 level of probability

* indicates non-Bt hybrids that can be planted for refuge.

Location: Edisto Research and Education Center, Blackville, SC
Soil Type: Duplin Sandy Loam
GPS Coordinates: 33° 21' 1.97" N 81° 17' 56.21" W
Planted: April 14, 2026
Harvested: September 4, 2026

TABLE . CORN HYBRID PERFORMANCE - IRRIGATED TRIAL - COASTAL PLAIN
EDISTO RESEARCH AND EDUCATION CENTER, BLACKVILLE, SC
2026 DATA

COMPANY OR BRAND NAME	HYBRID	YIELD (BU/A)	HARVEST MOISTURE (PCT)	TEST WEIGHT (LB/BU)
Invictis	A1776VT2P	**167.6**	17.4	55
AgraTech	807TRE	**161.6**	13.9	52
Pioneer	P15395PWE	**160.8**	13.7	53
Growmark	FS 6447T RIB	**159.2**	16.9	54
AgraTech	707TRE	**158.0**	16.4	54
Invictis	A1414T	**157.8**	13.3	51
Seedway	SW 1650TR	**155.1**	15.6	54
Seedway	SW 1880TR	**148.8**	14.8	53
Bayer	DK 66-06	**148.3**	16.6	53
Growmark	FS 6157T RIB	**146.6**	16.2	54
Bayer	DK 68-35	**146.4**	15.6	52
Dyna-Gro	D60TC45	**146.1**	15.8	54
Growmark	FS 6627T RIB	**146.0**	15.4	53
Growmark	FS 6757T RIB	**145.5**	15.7	54
Axis Seed	64H70 RIB	143.9	15.0	53
Invictis	A1993T	142.6	15.9	53
Axis Seed	65W15*	142.3	16.9	55
Revere	1839 TC	140.9	17.1	55
Dyna-Gro	D54TC77	139.2	15.7	54
Pioneer	P18216PWE	138.8	16.5	54
Bayer	DK 70-45	138.1	15.2	53
Seedway	SW 1676PE	137.5	14.4	52
Dyna-Gro	D52TC66	135.5	15.9	54
Growmark	FS 6545V RIB	133.1	17.4	55
Bayer	DK 117-78	132.4	14.4	51
AgraTech	69RR*	132.3	16.3	53
Dyna-Gro	D58TC94	131.5	15.7	53
Bayer	DK 111-35	127.9	15.4	54
Growmark	FS 6850R*	127.4	16.1	54
Axis Seed	65W75 RIB	127.3	16.4	54
Invictis	A1792T	127.0	17.0	55
Seedway	SW 1600RR*	125.1	15.6	53
Invictis	A1254T	123.1	16.8	53
Revere	113-T73	121.7	15.2	52
Growmark	FS 6947T RIB	120.1	18.0	54
Pioneer	P18216R*	105.4	16.8	53
Dyna-Gro	D55VC86	105.0	14.7	53
AVERAGES		139.1	15.8	53
L.S.D. (.10)		23.7		
C.V. (%)		14.5		
STD. ERR. OF ENTRY MEAN		10.1	DF= 108	

Bold numbers are not statistically different at the 0.10 level of probability

* indicates non-Bt hybrids that can be planted for refuge.

Location: Edisto Research and Education Center, Blackville, SC
Soil Type: Duplin Sandy Loam
GPS Coordinates: 33° 20' 49.83" N 81° 17' 56.21" W
Planted: April 14, 2026
Harvested: September 4, 2026

TABLE . CORN HYBRID PERFORMANCE - DRY LAND TRIAL - SANDHILLS
SCDC FARM, REMBERT, SC
2026 DATA

COMPANY OR BRAND NAME	HYBRID	YIELD (BU/A)	HARVEST MOISTURE (PCT)	TEST WEIGHT (LB/BU)
Dyna-Gro	D60TC45	**196.0**	12.5	60
Invictis	A1993T	**190.6**	12.0	59
Dyna-Gro	D55VC86	**188.5**	11.8	58
Pioneer	P15395PWE	**186.9**	12.1	59
Revere	1839 TC	**186.3**	12.3	59
Bayer	DK 111-35	**185.8**	12.5	60
Seedway	SW 1676PE	**182.1**	13.4	61
AgraTech	807TRE	**178.9**	11.9	59
Invictis	A1792T	**178.4**	13.0	61
Invictis	A1776VT2P	**177.2**	12.3	59
Growmark	FS 6757T RIB	**177.1**	12.9	60
Growmark	FS 6947T RIB	**176.6**	12.0	59
Axis Seed	65W15*	175.8	11.8	58
AgraTech	707TRE	173.5	12.0	59
Dyna-Gro	D54TC77	173.4	12.2	60
Growmark	FS 6157T RIB	173.4	11.7	59
Invictis	A1414T	173.2	12.5	59
Bayer	DK 70-45	172.5	13.6	62
Growmark	FS 6627T RIB	171.9	12.4	59
Bayer	DK 66-06	169.9	13.2	59
Pioneer	P18216R*	169.3	12.8	60
Growmark	FS 6447T RIB	168.6	12.1	59
Dyna-Gro	D58TC94	168.4	13.5	60
Growmark	FS 6545V RIB	168.4	12.5	60
Bayer	DK 68-35	168.0	13.1	61
Pioneer	P18216PWE	167.2	12.2	60
Axis Seed	64H70 RIB	165.6	12.2	59
AgraTech	69RR*	165.3	11.8	58
Seedway	SW 1650TR	164.2	11.9	59
Growmark	FS 6850R*	163.2	12.4	59
Invictis	A1254T	162.4	11.4	58
Dyna-Gro	D52TC66	158.4	12.1	60
Seedway	SW 1880TR	157.1	11.8	58
Bayer	DK 117-78	157.0	12.7	60
Axis Seed	65W75 RIB	156.6	12.3	59
Revere	113-T73	154.3	12.2	58
Seedway	SW 1600RR*	152.9	12.0	60
AVERAGES		171.7	12.3	59
L.S.D. (.10)		19.5		
C.V. (%)		9.7		
STD. ERR. OF ENTRY MEAN		8.3	DF=108	

Bold numbers are not statistically different at the 0.10 level of probability

* indicates non-Bt hybrids that can be planted for refuge.

Location: SCDC Prison Farm, Rembert, SC
Soil Type: Norfolk-Faceville-Noboco complex
GPS Coordinates: 34°03' 7.44" N 80° 33' 32.84" W
Planted: April 15, 2026
Harvested: September 16, 2026

TABLE . CORN HYBRID PERFORMANCE - IRRIGATED LAND TRIAL - SANDHILLS
SCDC FARM, REMBERT, SC
2026 DATA

COMPANY OR BRAND NAME	HYBRID	YIELD (BU/A)	HARVEST MOISTURE (PCT)	TEST WEIGHT (LB/BU)
Dyna-Gro	D58TC94	**304.3**	13.2	61
Bayer	DK 68-35	**301.3**	13.8	60
Revere	1839 TC	**295.3**	13.2	60
Invictis	A1776VT2P	**288.3**	13.1	60
Pioneer	P15395PWE	**287.2**	12.7	60
Dyna-Gro	D54TC77	**283.7**	12.5	60
Dyna-Gro	D60TC45	**282.9**	12.8	59
Axis Seed	65W75 RIB	**282.2**	13.4	60
Growmark	FS 6757T RIB	**278.5**	13.2	60
Dyna-Gro	D55VC86	**278.2**	12.8	59
Growmark	FS 6447T RIB	**276.7**	13.2	60
Invictis	A1792T	**273.9**	13.6	61
Invictis	A1993T	**273.1**	12.7	59
Pioneer	P18216R*	**269.7**	13.2	60
Bayer	DK 111-35	268.5	12.8	60
Growmark	FS 6627T RIB	267.3	13.3	60
Bayer	DK 117-78	266.8	13.4	60
Growmark	FS 6947T RIB	265.9	13.0	60
Axis Seed	65W15*	265.4	13.3	60
Growmark	FS 6850R*	264.8	13.2	60
Axis Seed	64H70 RIB	261.9	13.1	60
Seedway	SW 1600RR*	261.9	13.4	60
AgraTech	807TRE	259.8	12.6	59
Invictis	A1414T	258.4	12.4	59
Revere	113-T73	257.8	13.1	60
Seedway	SW 1650TR	257.5	12.7	60
Growmark	FS 6157T RIB	257.4	11.9	58
Pioneer	P18216PWE	257.2	13.3	60
Seedway	SW 1676PE	254.4	13.4	60
AgraTech	707TRE	252.6	13.4	60
Bayer	DK 70-45	252.6	13.6	61
Dyna-Gro	D52TC66	250.6	13.1	61
Invictis	A1254T	248.2	11.9	59
Seedway	SW 1880TR	244.7	13.2	59
AgraTech	69RR*	241.7	12.7	59
Growmark	FS 6545V RIB	238.5	13.1	62
Bayer	DK 66-06	211.4	12.3	60
AVERAGES		266.0	13.0	60
L.S.D. (.10)		35.7		
C.V. (%)		9.8		
STD. ERR. OF ENTRY MEAN		15.1	DF=72	

Bold numbers are not statistically different at the 0.10 level of probability

* indicates non-Bt hybrids that can be planted for refuge.

Location: SCDC Prison Farm, Rembert, SC
Soil Type: Norfolk-Faceville-Noboco complex
GPS Coordinates: 34° 05' 55.98" N 80° 34' 22.91" W
Planted: April 15, 2026
Harvested: September 16, 2026

TABLE . CORN HYBRID PERFORMANCE - IRRIGATED TRIAL - COASTAL PLAIN
PEE DEE RESEARCH AND EDUCATION CENTER, FLORENCE, SC
2026 DATA

COMPANY OR BRAND NAME	HYBRID	YIELD (BU/A)	HARVEST MOISTURE (PCT)	TEST WEIGHT (LB/BU)
Axis Seed	65W75 RIB	**121.0**	16.4	56
Growmark	FS 6627T RIB	**109.9**	15.7	57
Axis Seed	65W15*	**108.2**	12.1	56
Growmark	FS 6545V RIB	**108.0**	14.6	58
Growmark	FS 6757T RIB	104.1	16.1	55
Dyna-Gro	D60TC45	102.8	15.9	56
Bayer	DK 117-78	102.5	16.7	58
Dyna-Gro	D52TC66	97.5	12.5	56
Bayer	DK 68-35	95.8	17	56
Bayer	DK 66-06	94.9	14.5	56
Seedway	SW 1600RR*	94.5	14.1	57
Growmark	FS 6947T RIB	92.7	16.8	54
Bayer	DK 70-45	91.9	16.8	57
Growmark	FS 6157T RIB	91.4	13.1	54
Growmark	FS 6447T RIB	91.4	12.1	56
Seedway	SW 1880TR	90.9	16.7	56
Invictis	A1776VT2P	89.8	16.9	54
Invictis	A1254T	89.4	13.4	55
AgraTech	807TRE	88.3	17.1	55
Growmark	FS 6850R*	88.3	14.1	57
Seedway	SW 1676PE	88.0	14.7	56
Dyna-Gro	D58TC94	87.6	15.4	56
Revere	113-T73	85.5	13.6	56
AgraTech	69RR*	84.5	12.7	55
Pioneer	P18216R*	83.8	13.6	57
Invictis	A1792T	83.6	15	56
Seedway	SW 1650TR	82.2	11.8	56
AgraTech	707TRE	81.3	13.8	56
Invictis	A1993T	79.6	16.6	56
Dyna-Gro	D55VC86	79.2	14.6	55
Pioneer	P15395PWE	78.7	13.1	56
Invictis	A1414T	73.9	13	56
Axis Seed	64H70 RIB	73.6	13.9	55
Revere	1839 TC	71.9	15.9	55
Bayer	DK 111-35	69.1	12.6	57
Pioneer	P18216PWE	68.8	13.6	57
Dyna-Gro	D54TC77	64.5	21.5	56
AVERAGES		88.9	14.8	56
L.S.D. (.10)		15.9		
C.V. (%)		15.2		
STD. ERR. OF ENTRY MEAN		6.8	DF=108	

Bold numbers are not statistically different at the 0.10 level of probability

* indicates non-Bt hybrids that can be planted for refuge.

Location: Pee Dee Research and Education Center, Florence, SC
Soil Type: Norfolk Loamy Sand
GPS Coordinates: 34° 17' 47.60" N 79° 44' 43.66" W
Planted: April 9, 2026
Harvested: August 20, 2026

TABLE . CORN PERFORMANCE - DRY LAND TRIAL -PIEDMONT
PIEDMONT RESEARCH AND EDUCATION CENTER, PENDLETON, SC
2026 DATA

COMPANY OR BRAND NAME	HYBRID	YIELD (BU/A)	HARVEST MOISTURE (PCT)	TEST WEIGHT (LB/BU)
AgraTech	69RR*	150.8	16.1	59
AgraTech	707TRE	153.1	16.6	58
AgraTech	807TRE	**170.6**	19.8	57
Axis Seed	64H70 RIB	151.6	16.1	59
Axis Seed	65W15*	148.6	16.1	58
Axis Seed	65W75 RIB	**165.6**	17.2	59
Bayer	DK 111-35	154.2	17.1	60
Bayer	DK 117-78	160.7	18.1	60
Bayer	DK 66-06	148.2	16.3	59
Bayer	DK 68-35	**164.5**	17.7	59
Bayer	DK 70-45	152.0	19.8	59
Dyna-Gro	D52TC66	157.5	15.3	59
Dyna-Gro	D54TC77	156.6	17.1	60
Dyna-Gro	D55VC86	148.2	17.0	58
Dyna-Gro	D58TC94	156.7	18.8	60
Dyna-Gro	D60TC45	159.8	18.8	57
Growmark	FS 6157T RIB	**167.3**	15.4	59
Growmark	FS 6447T RIB	158.2	16.7	59
Growmark	FS 6545V RIB	**164.8**	17.7	60
Growmark	FS 6627T RIB	**165.7**	17.1	59
Growmark	FS 6757T RIB	**171.6**	19.0	58
Growmark	FS 6850R*	159.5	19.4	58
Growmark	FS 6947T RIB	**167.3**	19.4	58
Invictis	A1254T	152.7	14.9	58
Invictis	A1414T	155.5	16.2	59
Invictis	A1776VT2P	156.5	18.1	58
Invictis	A1792T	151.4	19.1	59
Invictis	A1993T	**170.8**	19.7	58
Pioneer	P15395PWE	160.9	17.4	59
Pioneer	P18216PWE	**176.8**	16.8	59
Pioneer	P18216R*	151.2	16.3	59
Revere	113-T73	159.2	15.6	59
Revere	1839 TC	**170.3**	19.4	57
Seedway	SW 1600RR*	145.7	15.7	59
Seedway	SW 1650TR	151.9	18.2	57
Seedway	SW 1676PE	**167.9**	16.8	59
Seedway	SW 1880TR	157.9	20.3	57
AVERAGES		159.0	17.5	58
L.S.D. (.10)		12.7		
C.V. (%)		6.8		
STD. ERR. OF ENTRY MEAN		5.4	DF=108	

Bold numbers are not statistically different at the 0.10 level of probability

* indicates non-Bt hybrids that can be planted for refuge.

Location: Piedmont Research and Education Center, Pendleton, SC
Soil Type: Cecil Sandy Loam
GPS Coordinates: 34° 37' 26.28" N 82° 44' 0.16" W
Planted: April 7, 2026
Harvested: August 31, 2026

TABLE . CORN HYBRID PERFORMANCE - STATEWIDE AVERAGES
2026 DATA

COMPANY OR BRAND NAME	HYBRID	YIELD (BU/A)	HARVEST MOISTURE (PCT)	TEST WEIGHT (LB/BU)
Growmark	FS 6757T RIB	**183.7**	15.7	57
Revere	1839 TC	**183.0**	15.8	56
AgraTech	807TRE	**181.5**	15.5	56
Invictis	A1993T	**180.7**	15.7	56
Invictis	A1776VT2P	**178.5**	15.4	56
Pioneer	P15395PWE	**177.8**	14.1	56
Dyna-Gro	D60TC45	**176.6**	15.4	56
Bayer	DK 68-35	**176.3**	16.0	57
Seedway	SW 1650TR	175.0	14.8	57
Growmark	FS 6947T RIB	174.1	16.2	56
Growmark	FS 6627T RIB	173.6	14.8	57
AgraTech	707TRE	172.6	14.6	57
Dyna-Gro	D58TC94	172.4	15.5	57
Growmark	FS 6157T RIB	172.4	14.2	56
Growmark	FS 6447T RIB	172.1	14.5	57
Axis Seed	65W75 RIB	172.0	15.4	57
Bayer	DK 117-78	171.3	15.3	57
Bayer	DK 70-45	170.5	16.2	58
Dyna-Gro	D54TC77	170.0	15.7	57
Seedway	SW 1676PE	169.5	15.0	57
Growmark	FS 6850R*	169.3	15.2	57
Axis Seed	65W15*	168.3	14.5	57
Pioneer	P18216PWE	168.2	14.7	57
Invictis	A1792T	167.9	15.7	57
Invictis	A1414T	167.6	13.7	56
Seedway	SW 1880TR	167.1	16.1	56
Growmark	FS 6545V RIB	167.0	15.4	58
Revere	113-T73	165.7	14.4	56
Invictis	A1254T	163.7	14.1	56
Dyna-Gro	D52TC66	163.4	14.1	57
Dyna-Gro	D55VC86	163.1	14.8	56
Pioneer	P18216R*	162.5	15.2	57
Axis Seed	64H70 RIB	162.4	14.6	56
Bayer	DK 66-06	161.7	14.9	56
Seedway	SW 1600RR*	160.3	14.6	57
Bayer	DK 111-35	158.8	14.6	57
AgraTech	69RR*	158.4	14.5	56
AVERAGES		170.2	15.0	57
L.S.D. (.10)		7.8		
C.V. (%)		10.2		

Bold numbers are not statistically different at the 0.10 level of probability

* indicates non-Bt hybrids that can be planted for refuge.